

Linda-X

CERAMICS COLLECTION



Ideal Standard

A T E L I E R

COLLECTIONS

A TRIBUTE TO ONE OF THE MOST LOVED HISTORICAL COLLECTIONS OF IDEAL STANDARD. MADE FROM THE ECO-SUSTAINABLE AND INNOVATIVE CERAMIC BLEND DIAMATEC®, LINDA X PERFECTLY INTERPRETS THE PURITY OF THE ICONIC LINDA DESIGN MAKING IT UNEXPECTEDLY LIGHT, ALMOST IMMATERIAL.

LINDA-X

Basin 60x50cm / Silk White finish

CONCA
MIRROR

Basin unit 60cm / Matt White
Round mirror Ø60cm





Achille
Castiglioni

Linda



— 1977

"ONE MUST ALWAYS KNOW HOW TO IMAGINE
AND GIVE SHAPE TO A NEW WORLD WITH ALL
ITS DESIRES AND DREAMS".

— **ACHILLE CASTIGLIONI**

The reinvented collection

— 2021



"THIS COLLECTION STEMS FROM THE DESIRE TO PAY HOMAGE TO IDEAL STANDARD'S DNA WITH AN EYE TO THE FUTURE".

— **ROBERTO PALOMBA**



LINDA-X

Vessel basin 55cm / Gloss White finish

JOY
MIRROR

Vessel basin mixer / Silver Storm finish
Round mirror Ø60cm







Linda X + Joy





LINDA-X

JOY
LINDA-X
JOY
MIRROR

Freestanding bathtub / Silk White finish

Freestanding Spout / Silver Storm finish
Vessel basin 55cm / Gloss White finish
Vessel mixer / Silver Storm finish
Round mirror Ø60cm





Indulge your senses.

LINDA-X FREESTANDING BATHS ARE A DESIGN
STATEMENT TO SIMPLICITY IN ITS PUREST FORM.

vessel basin 45



vessel basin 55



basin 50



basin 60



basin 75








DIAMATEC®

Impossibly fine,
effortlessly strong

A UNIQUE BLEND OF ALUMINA AND CHAMOTTE.
A MATERIAL THAT ALLOWS HIGHLY COMPLEX
AND CHALLENGING DESIGNS.
UNPRECEDENTED STRENGTH AND DURABILITY
ECO-SUSTAINABLE



Diamatec
technology

LINDA-X




BASIN 50CM WITH 1 TAP HOLE



MODEL	FINISH	SKU
No Overflow, 1 tap hole	Gloss White	T439001
No Overflow, 1 tap hole	Silk White	T4390V1
No Overflow, 1 tap hole, Grinded	Gloss White	T498501
No Overflow, 1 tap hole, Grinded	Silk White	T4985V1

- 50x48cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 1 tap hole
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture






BASIN 50CM WITH 1 TAP HOLE



MODEL	FINISH	SKU
With Overflow, 1 tap hole	Gloss White	T475301
With Overflow, 1 tap hole	Silk White	T4753V1
With Overflow, 1 tap hole, Grinded	Gloss White	T498101
With Overflow, 1 tap hole, Grinded	Silk White	T4981V1

- 50x48cm basin
- Features Diamatec technology allowing for ultra thin basin walls
- Slotted overflow

- 1 tap hole
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx






BASIN 50CM WITH 3 TAP HOLES



MODEL	FINISH	SKU
No Overflow, 3 tap holes	Gloss White	T439101
No Overflow, 3 tap holes, Grinded	Gloss White	T498601

- 50x48cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 3 tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture





BASIN 50CM WITHOUT TAP HOLE



MODEL	FINISH	SKU
No Overflow, No tap hole	Gloss White	T439201
No Overflow, No tap hole, Grinded	Gloss White	T498701

- 50x48cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- No tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture





BASIN 50CM WITHOUT TAP HOLE



MODEL	FINISH	SKU
With Overflow, No tap hole	Gloss White	T475401
With Overflow, No tap hole, Grinded	Gloss White	T498201

- 50x48cm basin
- Features Diamatec technology allowing for ultra thin basin walls
- Slotted overflow

- No tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx



LINDA-X


BASIN 60CM WITH 1 TAP HOLE



MODEL	FINISH	SKU
No Overflow, 1 tap hole	Gloss White	T439301
No Overflow, 1 tap hole	Silk White	T4393V1
No Overflow, 1 tap hole, Grinded	Gloss White	T498801
No Overflow, 1 tap hole, Grinded	Silk White	T4988V1

- 60x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 1 tap hole
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture




BASIN 60CM WITHOUT TAP HOLE



MODEL	FINISH	SKU
No Overflow, No tap hole	Gloss White	T439501
No Overflow, No tap hole, Grinded	Gloss White	T499001

- 60x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- No tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture




BASIN 60CM WITH 1 TAP HOLE



MODEL	FINISH	SKU
With Overflow, 1 tap hole	Gloss White	T475501
With Overflow, 1 tap hole	Silk White	T4755V1
With Overflow, 1 tap hole, Grinded	Gloss White	T498301
With Overflow, 1 tap hole, Grinded	Silk White	T4983V1

- 60x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls
- Slotted overflow

- 1 tap hole
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx




BASIN 60CM WITHOUT TAP HOLE



MODEL	FINISH	SKU
With Overflow, No tap hole	Gloss White	T475601
With Overflow, No tap hole, Grinded	Gloss White	T498401

- 60x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls
- Slotted overflow

- No tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx




BASIN 60CM WITH 3 TAP HOLES



MODEL	FINISH	SKU
No Overflow, 3 tap holes	Gloss White	T439401
No Overflow, 3 tap holes, Grinded	Gloss White	T498901

- 60x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 3 tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture



LINDA-X


BASIN 75CM WITH 1 TAP HOLE



MODEL	FINISH	SKU
No Overflow, 1 tap hole	Gloss White	T439601
No Overflow, 1 tap hole	Silk White	T4396V1
No Overflow, 1 tap hole, Grinded	Gloss White	T499101
No Overflow, 1 tap hole, Grinded	Silk White	T4991V1

- 75x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 1 tap hole
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture




BASIN 75CM WITH 3 TAP HOLES



MODEL	FINISH	SKU
No Overflow, 3 tap holes	Gloss White	T439701
No Overflow, 3 tap holes, Grinded	Gloss White	T499201

- 75x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- 3 tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture




BASIN 75CM WITHOUT TAP HOLE



MODEL	FINISH	SKU
No Overflow, No tap hole	Gloss White	T439801
No Overflow, No tap hole, Grinded	Gloss White	T499301

- 75x50cm basin
- Features Diamatec technology allowing for ultra thin basin walls

- Can be used with Idealflow hidden overflow code N8326AA or free flow waste E2114xx
- No tap holes
- Wall-mounted installation or laid on worktop with furniture
- Grinded model for lay on installation with furniture




VESSEL BASIN OVAL 45 WITHOUT TAP HOLE



MODEL	FINISH	SKU
With Overflow, No tap hole	Gloss White	T439901
With Overflow, No tap hole	Silk White	T4399V1

- 45x38cm oval vessel basin
- Features Diamatec technology allowing for ultra thin basin walls
- With slotted overflow

- No tap holes
- Laid on worktop installation with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx




VESSEL BASIN OVAL 45 WITHOUT TAP HOLE



MODEL	FINISH	SKU
No Overflow, No tap hole	Gloss White	T440001
No Overflow, No tap hole	Silk White	T4400V1

- 45x38cm oval vessel basin
- Features Diamatec technology allowing for ultra thin basin walls
- Without overflow

- No tap holes
- Laid on worktop installation with furniture
- Grinded model for lay on installation with furniture
- Can be used with free flow waste E2114xx




VESSEL OVAL 55 WITHOUT TAP HOLE



MODEL	FINISH	SKU
With Overflow, No tap hole	Gloss White	T440101
With overflow, No tap hole	Silk White	T4401V1

- 55x38cm oval vessel basin
- Features Diamatec technology allowing for ultra thin basin walls
- With slotted overflow

- No tap holes
- Laid on worktop installation with furniture
- Can be used with free flow waste E2114xx




VESSEL OVAL 55 WITHOUT TAP HOLE



MODEL	FINISH	SKU
No Overflow, No tap hole	Gloss White	T440201
No Overflow, No tap hole	Silk White	T4402V1

- 55x38cm oval vessel basin
- Features Diamatec technology allowing for ultra thin basin walls
- Without overflow

- No tap holes
- Laid on worktop installation with furniture
- Can be used with free flow waste E2114xx




LINDA-X FREE-STANDING BATHTUB 175X85CM



MODEL	FINISH	SKU
With Overflow	Silk White	T4626EN

- Dimensions 175x85cm
- Weight: 184kg
- Water capacity: 277lt

- Norm: EN14516
- Waste: 52mm waste & waste cover included (covered in solid surface mat white)





Ideal Standard

Ideal Standard-Vidima AD

53 Marin Popov Street
5400 Sevlievo, Bulgaria
Tel: +359 675 30362
office@idealstandard.com

Representative office, Riga

A. Briana str. 9a,
Riga, LV- 1001, Latvia
Tel: +371 673 57 792
Fax: +371 673 57 795
VDorogoi@IdealStandard.com

Representative Office, Bucharest

Calea Victoriei Nr. 109,
010069 Bucharest, Romania
Tel: +40 21 322 3201
Tel: +40 21 322 3202
OfficeBucharest@idealstandard.com

Contact for Croatia

Tel: +38591 22 99 304
HPavicic@idealstandard.com

Representative office, Belgrade

Drinčičeva no.19, apartment no.8
11000 Belgrade, Serbia
Tel/Fax: +381 11 7138 058
Tel/Fax: +381 11 7138 059
OBelgrade@IdealStandard.com

Representative Office, Budapest

IS-Hun Kft
1094 Budapest, Hungary
Viola u 16-18
Tel: +36 30 6991 594
ZGarai@idealstandard.com

Contact for Albania, Kosovo

and Bosnia & Herzegovina
Tel: +359 887 709 696
IMichev@idealstandard.com

Contact for Slovenia

Tel: +39 040 2158058
info@liaison.it